





ADITYA

METAL INDUSTRIES



Driving Project
Through Steel

MSME
सूक्ष्म लघु एवं मध्यम उद्यम
MICRO, SMALL & MEDIUM ENTERPRISES



Accreditation Number - QMS
CB-MS-51708260106

www.adityametal.in



COMPANY PROFILE

COMPANY NAME	:	M/s. ADITYA METAL INDUSTRIES
CONTACT PERSON	:	M.H. Jayalwal 9869532663 / 9970653101 Suresh M. Jayalwal 8879587311 / 9351376638
STATUS OF FIRM	:	PROPRIETORSHIP
REGD. OFFICE	:	59/65, Gurukrupa Building, 2nd Floor, Office No. 13, Durgadevi Street, Kumbharwada, Mumbai - 400004
NATURE OF BUSINESS	:	Manufacturers of Pipe Fitting & Flanges
DATE OF ESTABLISHMENT	:	18/11/1998
E-MAIL	:	adityametal1234@gmail.com
WEBSITE	:	www.adityametal.in
PAN No.	:	AAEPJ7049L
GSTIN	:	27AAEPJ7049L1ZC
YEARLY TURN OVER	:	10 to 12 CR
ITEM IMPORTED/STOCKED	:	AS PER OUR STOCK LIST
TESTING FACILITY	:	GOVT. APPROVED LAB GOVT. APPROVED NABL LAB REPUTED LAB

PRODUCT RANGE



भारत सरकार
Government of India
सूक्ष्म, लघु एवं मध्यम उद्यम मंत्रालय
Ministry of Micro, Small and Medium Enterprises



UDYAM REGISTRATION CERTIFICATE



Our small hands to make you LARGE

UDYAM REGISTRATION NUMBER	UDYAM-MH-19-0090089		
NAME OF ENTERPRISE	ADITYA METAL INDUSTRIES		
TYPE OF ENTERPRISE *	MICRO		
MAJOR ACTIVITY	SERVICES		
SOCIAL CATEGORY OF ENTREPRENEUR	OBC		
NAME OF UNIT(S)	S.No.	Name of Unit(s)	
	1	ADITYA METAL INDUSTRIES	
OFFICIAL ADDRESS OF ENTERPRISE	Flat/Door/Block No.	59/65, 2nd Floor	Name of Premises/ Building
	Village/Town	Mumbai	Block
	Road/Street/Lane	Durgadevi Street	City
	State	MAHARASHTRA	District
	Mobile	9806532663	Email: ADITYAMETAL1234@GMAIL.COM
DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE	18/11/1998		
DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS	18/11/1998		
NATIONAL INDUSTRY CLASSIFICATION CODE(S)	S.No.	NIC 2 Digit	NIC 4 Digit
	1	46 - Wholesale trade, except of motor vehicles and motorcycles	4662 - Wholesale of metals and metal ores
DATE OF UDYAM REGISTRATION	04/10/2021		

* In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the Mo MSME.

Disclaimer: This is computer generated statement, no signature required. Printed from <https://udyamregistration.gov.in> & Date of printing:- 09/10/2021

For any assistance, you may contact:

- District Industries Centre: MUMBAI CITY (MAHARASHTRA)
- MSME-DI: MUMBAI (MAHARASHTRA)

BE A CHAMPION
with the Ministry of MSME



Visit : www.msme.gov.in ; www.dcmsme.gov.in ; www.champions.gov.in

Follow us @minmsme & @msmechampions



Certificate of Registration

This is to certify that

Aditya Metal Industries

Regd. Office: Mangilal Hiramam Jayalwal, Floor 3, 74, 66/86 School Bldg. Dr M.G. Mahimtura Marg, Mumbai - 400004 (Maharashtra), India.
Office: 59/65, Gurukrupa Building, 2nd Floor, Office No. 13, Durgadevi Street, Kumbharwada, Mumbai - 400004 (Maharashtra), India.

has been assessed by RICL and found to comply with the requirements of

ISO 9001 : 2015

Quality Management System

For the following activities:
Stockiest and Supplier of Stainless Steel, Iron Steel, SS Sheet Rod, Plate, Pipe Fittings, Channel Angle, Carbon Steel, SS Round Bar, Nut Bolt, Flanges, Buttweld Fittings, SS-304, 304L, 316, 316L and SS-310.

This Certificate is Valid from 13/01/2022 Until 12/01/2023

Date of Initial Certification: 13/01/2022
1st Surveillance on or before: 12/12/2022
1Ind Surveillance on or before: 12/12/2023
Certification Valid Until: 12/01/2025
UAF is member of International Accreditation Forum (IAF)

Certificate No.:
22UQ01AJ



CB-MS-2606

Rohit Kumar
Director
Royal Impact Certification Ltd.

623, Tower-B, (Thum, Plot No. A - 40, Sector - 62, Noida - 201301, India.
www.isointernational.org info@isointernational.org
Phone : +91 120 4113893
This Certificate can be verified at: www.isointernational.org

UAF is member of International Accreditation Forum (IAF). the membership status can be verified at www.iaf.nu. This Certificate remains the property of Royal Impact Certification Limited. Must be returned on request or if certificate is withdrawn. Validity of this certificate is subject to successful surveillance audits as per dates given above

Introduction

We are a professionally managed company started by a team of dynamic young entrepreneurs.

By 1998, **Aditya Metal Industries** is one of the established name in the Domestic as well as in the International Market, We are one of the leading Manufacturers, Exporters, Importers & Stockholders of all kind of Ferrous & Non-Ferrous Metals like Stainless Steel, Carbon Steel, Alloy Steel, Aluminium, Copper, Brass, Nickel, Alloy etc. Also, We are the Manufacturer of All types of Flanges Widely used in various core Industries. **Aditya Metal Industries** is also approved by all the global industries and has contract with various mills all over the world. Today with our excellent contacts with manufacturers world over, we can import any type of steel materials from various countries according to customers requirements. **Aditya Metal Industries** has never left no stone unturned in widening its horizons, keeping in mind the increasing demand of raw materials it has laid special emphasis on exporting its products. Our commitment is always provide right product at the right price.

Quality Products.... for Quality Projects...

PRODUCT RANGE



Pipes & Tubes

Stainless Steel : ASTM A312 TP 202/304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/310/ 347/ 904L etc.
Carbon Steel : ASTM A53 GR. B/ A106 GR. B/ API 5L GRADE B/ API 5L GR.X42/46/52/56/60/65/70/
 Low Temperature, Carbon Steel: A333 Gr.3/Gr.6 etc.
Alloy Steel : ASTM A335 GR. P1/ P5/ P9/ P11/ P22/ P91 etc.
Nickel Alloys : Monel, Nickel, Inconel, Hastalloy, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, 904L, Alloy 20
Duplex & Super Duplex Steel : UNS S31803, UNS S32750, UNS S32760,
Non Ferrous Metal : Copper, Brass, Bronze, Zinc, Lead etc. Types : Round , Square, Rectangular.
Size : 1/2" to 24" NB. (Seamless & Welded)
Wall Thickness : Sch. 5S to Sch. XXS



Buttweld Fittings

Stainless Steel : ASTM A403 WP 304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/ 310/ 347/ 904L etc.
Carbon Steel : ASTM A234 WPB/A420 WPL3/A420 WPL6/ MSS-SP-75 WPHY 42/46/52 / 56/60/65/70
Alloy Steel : ASTM A234 WP1/WP5/WP9/ WP11/WP22/WP91 etc.
Duplex & Super Duplex Steel : UNS S31803, UNS S32750, UNS S32760,
Others : Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, 904L, Alloy 20 etc.
Types : Elbow, Tee, Reducer, Return Bends, Stub-Ends, Cap, Collar, Cross, Insert etc.
Size : 1/4" NB TO 32" NB. (Seamless & Welded)
Wall Thickness : Sch. 5S To Sch. XXS.



Forged Socketweld & Screwed Fittings

Stainless Steel : ASTM A182 F304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/ 310/ 347/ 904L etc.
Carbon Steel : ASTM A105 /A694 F42/46/ 52/56/ 60/ 65/70 / A350 LF3/ A350 LF2.
Alloy Steel : ASTM A182 F1/ F5/ F9/ F11/ F22/ F91 etc.
Others : Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.
Types : Elbow, Tee, Union, Cross, Coupling, Cap, Bushing , Plug, Swage Nipple, Welding Boss, Hexagon Nipple, Barrel Nipple, Welding Nipple, Parraler Nipple, Street Elbow, Hexagon Nut, Hose Nipple, Bend, Adapter, Insert, Weldolet, Elbowlet, Sockolet, Thredolet, Nipolet, Letrolet, etc.
Size : 1/4" NB TO 4" NB. (Socketweld & Threaded)
Class : 3000#, 6000#, 9000#.



Flanges


Stainless Steel : ASTM A182 F304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/ 310/ 347/ 904L etc.
Carbon Steel : ASTM A105 / A694 F42/46/ 52/56/ 60/65/70/A350 LF3/A350 LF2, etc.
Alloy Steel : ASTM A182 F1/ F5/ F9/ F11/ F22/ F91 etc.
Duplex & Super Duplex Steel : UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20
Others : Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.
Types : Weldneck, Slipon, Blind, Socket Weld, Lap Joint, Spectacles, Ring Joint, Oriface, Long Weldneck, Deck Flange, RTJ, Flange
Size : 1/2" NB TO 24" NB.
Class : 150#, 300#, 400#, 600#, 900#, 1500# & 2500#.



Ferrule Fittings

Stainless Steel : ASTM A182 F304/ 304L/ 304H/ 316/ 316L/ 317/ 317L/ 321/ 310/ 347/ 904L etc.
Carbon Steel : ASTM A105 / A694 F42/46/ 52/56/ 60/65/70 /A350 LF3/ A350 LF2.
Alloy Steel : ASTM A182 F1/ F5/ F9/ F11/ F22/ F91 etc.
Duplex & Super Duplex Steel : UNS S31803, UNS S32750, UNS S32760, 904L, Alloy 20
Other : Stainless Steel, Nickel Alloys, Carbon Steel, Alloy Steel, Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bimuth, Aluminium, High Speed Steel, Zinc, Lead, Etc.
Types : Nipples, Adaptors, Crosses, Union Ball Joints, Reducing Bushing, Reducers, Pipe Caps, Couplings, Pipe Plug, Hollow Hex Plug, Elbow, Reducing Union, 90 Deg. Union Elbow, Reducing 90 Deg. Union Elbow Etc. Extender Leg 90 Deg. Union Elbow, 45 Deg. Union Elbow, Union Tee, Female Connector, Male Connector, Manifold Tee, Locator Union, Extended Run Leg Union Tee, Reducing Tee, Tribow, ATW Weld Ring, Tube Socket weld To Pipe Butt Weld, Tube Butt Weld To Tube Socket Weld, Port Connector, Etc.

PRODUCT RANGE



Sheet, Plate & Coil

Stainless Steel Coils, Sheets & Plates as per ASTM A 240 Gr. TP 202, 304, 304L, 304LN, 309, 309S, 309H, 310S, 310H, 316, 316L, 316H, 316LN, 316Ti, 317, 317L, 321, 321H, 347, 347H, 348, 348H, 409, 410, 420, 430 etc.

Alloy Steel Plates as per ASTM A 387 Gr. 2, 5, 9, 11, 12 & 22 in class 1 & 2, ASTM A 204, Gr. A & B, DIN 17175 Gr. 15Mo3 & 16Mo3 with IBR Test Certificate.

Carbon Steel / Boiler Quality Plates as per IS 2062 Gr. A, B & C, IS 2002 Gr. 1 & 2, ASTM A516 Gr. 60 & 70 ASTM A515 Gr. 70.

High Nickel Alloy : Monel, Nickel, Inconel, Hastalloy, Copper, Brass, Bronze, Titanium, Tantalum, Bismuth, Aluminium, High Speed Steel, Zinc, Lead, etc.

Duplex & Super Duplex Steel : UNS S31803, UNS S32750, UNS 532760, 904L, Alloy 20

Types : Sheet, Plates, Strips, etc.



Fasteners & Nut Bolts


Stainless Steel : AISI 302, 304, 304L, 316, 316L, 310, 317, 321, 347, 410 420, 904L etc.

Alloy Steel : 4.6, 5.6, 6.6, 8.8, 10.9 & 12.9 'R', 'S', 'T' Conditions.

Carbon Steel : Bare Condition, Galvanized, Phosphetised, Cadmium Plated, Hot Deep Galvanized, Bloodied, Nickel Chrome Plated etc.

Non-Ferrous Metal : Copper, Brass, Aluminium, Titanium, Nichrome, Al-Bronze, Phosphorous Bronze etc.

Type : Bolts, Nuts, Washers, Anchor, Fasteners, Stud Bolts, Eye Bolt, Stud, Threaded Rod, Cotter Pin, Socket, Screw, Fine Fasteners & Spares, Foundation Fasteners etc.




Valve

Stainless Steel : AISI 304, 304L, 316, 316L, 310, 317, 317L, 321, 347, 904L etc.

Carbon Steel : A105, A216, Gr. WCB, Cadmium Plated, Nickel, chrome Plated etc.

Non-Ferrous Metal : Copper, Brass, Titanium, Phosphorous Bronze etc.

Type : Ball Valve, Gate Valve, Check Valve, Needle Valve, Mini Valve, Gauge Rott Valve, Globe Valve, Manifolds (2 Way, 3 Way, 5 Way)



Round, Square & Hex Bar

Stainless Steel : As per ASTM A276 & A479 Grade 202 / 304 / 304L / 316 / 316L / 316Ti / 317 / 317L / 321 / 310 / 347 / 410 / 416 / 420 / 430 / 440C / 904 / 303 / 17-4PH, 15-5 PH etc.

Nickel Alloys : Monel, Inconel, Hastelloy, Nickel, Titanium, Alloy 20

Duplex & Super Duplex : UNS 32205, 31803, 32750, 32760,

Types : Round, Square, Rectangular.

Size : 3mm - 75 mm dia ready stock with Mill Test Certificate

Process : Cold Drawn, Annealed, Export Bright & Black

Tolerance : H9, H11



Dairy Fittings

Stainless Steel : AISI 304, 304L, 316, 316L, 310, 317, 317L, 321, 347, 904L etc.

Carbon Steel : A105, A216, Gr. WCB, Cadmium Plated, Nickel, chrome Plated etc.

Non-Ferrous Metal : Copper, Brass, Titanium, Phosphorous Bronze etc.

Type : Nipple, Dairy Fittings, Union, S.M.S., I.D.F., Dairy Valve, Butterfly Valve, Ball Valve, Needle Valve, N.R.V. Valve, Float Valve, Safety Valve, Cock Valve, Syphon Tube

PIPES & TUBES

STAINLESS STEEL PIPE DIMENSION & WEIGHT-KG. PER MTR. (ANSI B36.19)


Nominal Bore		Outside Diameter	Schedule 5S		Schedule 10S		Schedule 40S		Schedule 80S		Schedule 160S		Schedule XXS	
mm	INCH	mm	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)	Wt mm	Weight (Kg/mt)
3	1/8	10.3	1.24	0.276	1.24	0.28	1.73	0.37	2.41	0.47	-	-	-	-
6	1/4	13.7	1.24	0.390	1.65	0.49	2.24	0.631	3.02	0.80	-	-	-	-
10	3/8	17.1	1.24	0.490	1.65	0.63	2.31	0.845	3.20	1.10	-	-	-	-
15	1/2	21.3	1.65	0.800	2.11	1.00	2.77	1.27	3.75	1.62	4.75	1.94	7.47	2.55
20	3/4	26.7	1.65	1.03	2.11	1.28	2.87	1.68	3.91	2.20	5.54	2.89	7.82	3.63
25	1	33.4	1.65	1.30	2.77	2.09	3.38	2.50	4.55	3.24	6.35	4.24	9.09	5.45
32	1 1/4	42.2	1.65	1.65	2.77	2.70	3.56	3.38	4.85	4.47	6.35	5.61	9.70	7.77
40	1 1/2	48.3	1.65	1.91	2.77	3.11	3.68	4.05	5.08	5.41	7.14	7.25	10.16	9.54
50	2	60.3	1.65	2.40	2.77	3.93	3.91	5.44	5.54	7.48	8.74	11.1	11.07	13.44
65	2 1/2	73.0	2.11	3.69	3.05	5.26	5.16	8.63	7.01	11.4	9.53	14.9	14.2	20.39
80	3	88.9	2.11	4.51	3.05	6.45	5.49	11.30	7.62	15.2	11.1	21.3	15.24	27.65
100	4	114.3	2.11	5.84	3.05	8.36	6.02	16.07	8.56	22.3	13.49	33.54	17.12	41.03
125	5	141.3	2.77	9.47	3.40	11.57	6.55	21.8	9.53	31.97	15.88	49.11	19.05	57.43
150	6	168.3	2.77	11.32	3.40	13.84	7.11	28.3	10.97	42.7	18.2	67.56	21.95	79.22
200	8	219.1	2.77	14.79	3.76	19.96	8.18	42.6	12.07	64.6	23.0	111.2	22.23	107.8
250	10	273.1	3.40	22.63	4.19	27.78	9.27	60.5	15.08	96.0	28.6	172.4	25.40	155.15
300	12	323.9	3.96	31.25	4.57	36.00	9.52	73.88	17.45	132.0	33.32	238.76	25.40	186.97
350	14	355.6	3.96	34.36	4.78	41.3	11.13	94.59	19.05	158.08	35.71	281.70	-	-
400	16	406.4	4.19	41.56	4.78	47.29	12.7	123.30	21.41	203.33	40.46	365.11	-	-
450	18	457.2	4.19	46.80	4.78	53.42	14.27	155.80	23.8	254.36	45.71	466.40	-	-
500	20	508.0	4.78	59.25	5.54	68.71	15.09	183.42	26.19	311.2	49.99	564.68	-	-
600	24	609.6	5.54	82.47	6.35	94.45	17.48	255.41	30.96	442.08	59.54	808.22	-	-

CARBON STEEL SEAMLESS PIPE DIMENSION & WEIGHT - KG. PER MTR. (ANSI B 36.10)


Nominal Pipe size		O/D	Schedule 10		Schedule 20		Schedule 30		Schedule STD		Schedule 40		Schedule 60		Schedule Extra Strong (XS)		Schedule 80		Schedule 100		Schedule 120		Schedule 140		Schedule 160		Schedule Double Extra Strong (XXS)	
mm	inch	mm	mm	kg/m	mm	kg/m	mm	kg/m	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.	wall	wt.
3	1/8	10.3							1.73	0.37	1.73	0.37			2.41	0.47	2.41	0.47										
6	1/4	13.7							2.24	0.63	2.24	0.63			3.02	0.80	3.02	0.80										
10	3/8	17.1							2.31	0.84	2.31	0.84			3.20	1.10	3.20	1.10										
15	1/2	21.3							2.77	1.27	2.77	1.27			3.73	1.62	3.73	1.62							4.78	1.95	7.5	2.55
20	3/4	26.7							2.87	1.69	2.87	1.69			3.91	2.20	3.91	2.20							5.6	2.90	7.82	3.64
25	1	33.4							3.38	2.50	3.38	2.50			4.55	3.24	4.55	3.24							6.35	4.24	9.1	5.45
32	1 1/4	42.2							3.56	3.39	3.56	3.39			4.85	4.47	4.85	4.47							6.35	5.61	9.7	7.77
40	1 1/2	48.3							3.68	4.05	3.68	4.05			5.08	5.41	5.08	5.41							7.14	7.25	10.2	9.56
50	2	60.3							3.91	5.44	3.91	5.44			5.54	7.48	5.54	7.48							8.74	11.11	11.07	13.4
65	2 1/2	73.0							5.16	8.63	5.16	8.63			7.01	11.41	7.01	11.41							9.53	14.92	14.0	20.4
80	3	88.9							5.49	11.3	5.49	11.3			7.62	15.27	7.62	15.3							11.13	21.35	15.24	27.7
90	3 1/2	101.6							5.74	13.57	5.74	13.57			8.08	18.63	8.08	18.63							-	-	16.2	34.1
100	4	114.3							6.02	16.07	6.02	16.07			8.56	22.3	8.56	22.3			11.13	28.32			13.5	33.5	17.12	41.03
125	5	141.3							6.55	21.77	6.55	21.77			9.53	30.9	9.53	30.9			12.7	40.2			15.9	49.11	19.0	57.4
150	6	168.3							7.11	28.26	7.11	28.26			10.97	42.5	10.97	42.5			14.3	54.2			18.3	67.5	21.95	79.22
200	8	219.1		6.35	33.3	7.0	36.8	8.18	42.5	8.18	42.55	10.31	53.10	12.7	64.6	12.7	64.5	15.1	75.92	18.3	90.4	20.6	100.9	23.0	111.27	22.23	108.0	
250	10	273.0		6.35	41.7	7.8	51.3	9.27	60.3	9.27	60.31	12.70	81.50	12.7	81.5	15.1	96.0	18.3	114.7	21.44	133.0	25.4	155	28.6	172.3	25.4	155.0	
300	12	323.9		6.35	49.7	8.4	65.2	9.53	73.8	10.31	79.73	14.30	109.0	12.7	97.4	17.5	132.0	21.4	160.0	25.4	187.0	28.6	208	33.3	238.7	25.4	187.0	
350	14	355.6	6.35	54.6	7.92	67.9	9.53	81.3	9.53	81.3	11.13	94.55	15.10	126.4	12.7	107.4	19.0	158.0	23.6	195.0	27.8	224.0	31.8	253.5	35.7	281.7		
400	16	406.4	6.35	62.6	7.92	77.9	9.53	93.3	9.53	93.3	12.7	123.3	16.70	160.0	12.7	123.3	21.44	203.5	26.2	245.5	30.9	286.6	36.53	333	40.5	365.4		
450	18	457.0	6.35	70.5	7.92	87.7	11.13	122.4	9.53	105.0	14.27	156.0	19.05	206.0	12.7	139.0	23.8	254.6	29.36	309.6	34.9	363.6	39.7	408.3	45.2	459.4		
500	20	508.0	6.35	78.5	9.53	117.2	12.7	155.1	9.53	117.2	15.09	183.4	20.62	248.5	12.7	155.1	26.2	311.2	32.54	381.5	38.1	441.5	44.4	508	50.0	564.8		
550	22	559.0	6.35	86.5	9.53	129.0	12.7	171.0	9.53	129.0			22.20	294.0	12.7	171.0	28.6	373.8	34.9	451.4	41.3	527.0	47.6	600	54.0	672.0		
600	24	610.0	6.35	94.5	9.53	141.0	14.3	209.7	9.53	141.0	17.48	255.4	24.61	355.0	12.7	187.0	30.96	442.08	38.89	547.7	46.0	640.0	52.4	720.15	59.5	808.22		
650	26	660.0	7.92	127.0	12.7	203.0			9.53	153.0					12.7	202.7												
700	28	711.0	7.92	137.4	12.7	218.7	15.88	271.2	9.53	165.0					12.7	218.7												
750	30	762.0	7.92	147.3	12.7	234.6	15.88	292.18	9.53	176.8					12.7	234.7												
800	32	813.0	7.92	157.0	12.7	250.6	15.88	312.0	9.53	188.2	17.48	342.9			12.7	250.6												
850	34	864.0	7.92	167.0	12.7	266.6	15.88	332.1	9.53	200.3	17.48	364.9			12.7	266.6												
900	36	914.4	7.92	176.9	12.7	282.3	15.88	351.7	9.53	212.5	19.05	420.4			12.7	282.2												
A 106 Gr B																												
API 5L - Gr B																												
A 333 Gr 6																												
AT514130																												




FLANGES 150 & 300




SLIP-ON FLANGE




WELDING NECK FLANGE




BLIND FLANGE



THREADED FLANGE



LAP JOINT FLANGE



SOCKET WELD FLANGE

DIMENSIONS OF CLASS 150 FLANGES AS PER B16.5

Nominal Pipe Size	Flange Dia O	Dia of Bolt Circle A	No. Of Bolt Holes D	No. Of Holes	Thk of Flange C	Dia of Hub E	Length through Hub			Dia Bore		Dia of R/F R	Depth of Socket F	Pipe Dia X
							S/O & S/W Y	W/N Y	L/J Y	S/O & S/W B	L/J B			
15	88.9	60.3	15.9	4	11.1	30.2	15.9	47.6	15.9	22.3	22.9	34.9	9.5	21.33
20	98.4	69.8	15.9	4	12.7	38.1	15.9	52.4	15.9	27.7	28.2	42.9	11.1	26.67
25	107.9	79.4	15.9	4	14.3	49.2	17.5	55.6	17.5	34.5	35.0	50.8	12.7	33.40
32	117.5	88.9	15.9	4	15.9	58.7	20.6	57.1	20.6	43.2	43.7	63.5	14.3	42.16
40	127.0	98.4	15.9	4	17.5	65.1	22.2	61.9	22.2	49.5	50.0	73.0	15.9	48.26
50	152.4	120.6	19.0	4	19.0	77.8	25.4	63.5	25.4	62.0	62.5	92.1	17.5	60.31
65	177.8	139.7	19.0	4	22.2	90.5	28.6	69.8	28.6	74.7	75.4	104.8	19.0	73.02
80	190.5	152.4	19.0	4	23.8	107.9	30.2	69.8	30.2	90.7	91.4	127.0	20.6	88.90
100	228.6	190.5	19.0	8	23.8	134.9	33.3	76.2	33.3	116.1	116.8	157.2	23.8	114.30
125	254.0	215.9	22.2	8	23.8	163.5	36.5	88.9	36.5	143.8	144.5	185.7	23.8	141.30
150	279.4	241.3	22.2	8	25.4	192.1	39.7	88.9	39.7	170.7	171.4	215.9	27.0	168.27
200	342.9	298.4	22.2	8	28.6	246.1	44.4	101.6	44.4	221.5	222.2	269.9	31.7	219.07
250	406.4	361.9	25.4	12	30.2	304.8	49.2	101.6	49.2	276.3	277.4	323.8	33.3	273.05
300	482.6	431.8	25.4	12	31.8	365.1	55.6	114.3	55.6	327.1	328.2	381.0	39.7	323.85
350	533.4	476.2	28.6	12	34.9	400.0	57.1	127.0	79.4	359.1	360.2	412.7	41.3	355.60
400	596.9	539.7	28.6	16	36.5	457.2	63.5	127.0	87.3	410.5	411.2	469.9	44.4	406.40
450	635.0	577.8	31.7	16	39.7	504.8	68.3	139.7	96.8	461.8	462.3	533.4	49.2	457.20
500	698.5	635.0	31.7	20	42.9	558.8	73.0	144.5	103.2	513.1	514.3	584.2	54.0	508.00
600	812.8	749.3	34.9	20	47.6	663.6	82.5	152.4	111.1	615.9	615.9	692.1	63.5	609.60


DIMENSIONS OF CLASS 300 FLANGES AS PER B16.5

Nominal Pipe Size	Flange Dia O	Dia of Bolt Circle A	No. Of Bolt Holes D	No. Of Holes	Thk of Flange C	Dia of Hub E	Length through Hub			Dia Bore		Dia of R/F R	Depth of Socket F	Pipe Dia X
							S/O & S/W Y	W/N Y	L/J Y	S/O & S/W B	L/J B			
15	95.2	66.7	15.9	4	14.3	38.1	22.2	52.4	22.2	22.3	22.9	34.9	9.5	21.33
20	117.5	82.5	19.0	4	15.9	47.6	25.4	57.1	25.4	27.7	28.2	42.9	11.1	26.67
25	123.8	88.9	19.0	4	17.5	54.0	27.0	61.9	27.0	34.5	35.0	50.8	12.7	33.40
32	133.3	98.4	19.0	4	19.0	63.5	27.0	65.1	27.0	43.2	43.7	63.5	14.3	42.16
40	155.6	114.3	22.2	4	20.6	69.8	30.2	68.3	30.2	49.5	50.0	73.0	15.9	48.26
50	165.1	127.0	19.0	8	22.2	84.1	33.3	69.8	33.3	62.0	62.5	92.1	17.5	60.31
65	190.5	149.2	22.2	8	25.4	100.0	38.1	76.2	38.1	74.7	75.4	104.8	19.0	73.02
80	209.5	168.3	22.2	8	28.6	117.5	42.9	79.4	42.9	90.7	91.4	127.0	20.6	88.90
100	254.0	200.0	22.2	8	31.8	146.0	47.6	85.7	47.6	116.1	116.8	157.2	23.8	114.30
125	279.4	234.9	22.2	8	34.9	177.8	50.8	98.4	50.8	143.8	144.5	185.7	-	141.30
150	317.5	269.9	22.2	12	36.5	206.4	52.4	98.4	52.4	170.7	171.4	215.9	-	168.27
200	381.0	330.2	25.4	12	41.3	260.3	61.9	111.1	61.9	221.5	222.2	269.9	-	219.07
250	444.5	387.3	28.6	16	47.6	320.7	66.7	117.5	95.2	276.3	277.4	323.8	-	273.05
300	520.7	450.8	31.7	16	50.8	374.6	73.0	130.2	101.6	327.1	328.2	381.0	-	323.85
350	584.2	514.3	31.7	20	54.0	425.4	76.2	142.9	111.1	359.1	360.2	412.7	-	355.60
400	647.7	571.5	34.9	20	57.2	482.6	82.5	146.0	120.6	410.5	411.2	469.9	-	406.40
450	711.2	628.5	34.9	24	60.3	533.4	88.9	158.7	130.2	461.8	462.3	533.4	-	457.20
500	774.7	685.8	34.9	24	63.5	587.4	95.2	161.9	139.7	513.1	514.3	584.2	-	508.00
600	914.4	812.8	41.3	24	69.8	701.7	106.4	168.3	152.4	615.9	615.9	692.1	-	609.60

Metric values are direct conversion from inches table of B16.5

Flanges except Lap Joint will be furnished with (1.6 mm) raised face, Which is included in "Thickness" (C) and Length Through Hub (Y).

FLANGES 600 & 900



DIMENSIONS OF CLASS 600 FLANGES AS PER B 16.5

Nominal Pipe Size	Flange Dia O	Dia of Bolt Circle A	No. of Bolt Holes D	No. of Holes	Thk of Flange C	Dia of Hub E	Length through Hub			Dia Bore		Dia of R/F R	Depth of Socket F	Pipe Dia X
							S/O & S/W Y	W/N Y	L/J Y	S/O & S/W B	L/J B			
15	95.2	66.7	15.9	4	14.3	38.1	22.2	52.4	22.3	22.3	22.8	34.9	9.5	21.33
20	117.5	82.5	19.0	4	15.9	47.6	25.4	57.1	25.4	27.7	28.1	42.9	11.1	26.67
25	123.8	88.9	19.0	4	17.5	54.0	27.0	61.9	26.9	34.5	35.0	50.8	12.7	33.40
32	133.3	98.4	19.0	4	20.6	63.5	28.6	66.7	28.4	43.2	43.6	63.5	14.2	42.16
40	155.6	114.3	22.2	4	22.2	69.8	31.7	69.8	31.7	49.5	50.0	73.0	15.8	48.26
50	165.1	127.0	19.0	8	25.4	84.1	36.5	73.0	36.5	62.0	62.4	92.1	17.4	60.31
65	190.5	149.2	22.2	8	28.6	100.0	41.3	79.4	41.1	74.7	75.4	104.8	19.0	73.02
80	209.5	168.3	22.2	8	31.8	117.5	46.0	82.5	45.9	90.7	91.4	127.0	-	88.90
100	273.0	215.9	25.4	8	38.1	152.4	54.0	101.6	53.8	116.1	116.8	157.2	-	114.30
125	330.2	266.7	28.6	8	44.4	188.9	60.3	114.3	60.4	143.8	141.5	185.7	-	141.30
150	355.6	292.1	28.6	12	47.6	222.2	66.7	117.5	66.5	170.7	171.4	215.9	-	168.27
200	419.1	349.2	31.7	12	55.6	273.0	76.2	133.3	76.2	221.5	222.2	269.9	-	219.07
250	508.0	431.8	34.9	16	63.5	342.9	85.7	152.4	111.2	276.3	277.3	323.8	-	273.05
300	558.8	488.9	34.9	20	66.7	400.0	92.1	155.6	117.3	327.1	328.1	381.0	-	323.85
350	603.2	527.0	38.1	20	69.9	431.8	93.7	165.1	127.0	359.1	360.1	412.7	-	355.60
400	685.8	603.2	41.3	20	76.2	495.3	106.4	177.8	139.7	410.5	411.2	469.9	-	406.40
450	742.9	654.0	44.4	20	82.6	546.1	117.5	184.1	152.4	461.8	462.2	533.4	-	457.20
500	812.8	723.9	44.4	24	88.9	609.6	127.0	190.5	165.1	513.1	514.3	584.2	-	508.00
600	939.8	838.2	50.8	24	101.6	717.5	139.7	203.2	184.1	615.9	615.9	692.1	-	609.60

DIMENSIONS OF CLASS 900 FLANGES AS PER B 16.5


Nominal Pipe Size	Flange Dia O	Dia of Bolt Circle A	No. of Bolt Holes D	No. of Holes	Thk of Flange C	Dia of Hub E	Length through Hub			Dia Bore		Dia of R/F R	Depth of Socket F	Pipe Dia X
							S/O & S/W Y	W/N Y	L/J Y	S/O & S/W B	L/J B			
15	120.6	82.5	22.2	4	22.2	38.1	31.7	60.3	31.7	22.3	22.8	34.9	9.5	21.33
20	130.2	88.9	22.2	4	25.4	44.4	34.9	69.8	35.0	27.7	28.1	42.9	11.1	26.67
25	149.2	101.6	25.4	4	28.6	52.4	41.3	73.0	41.1	34.5	35.0	50.8	12.7	33.40
32	158.7	111.1	25.4	4	28.6	63.5	41.3	73.0	41.1	43.2	43.6	63.5	14.2	42.16
40	177.8	123.8	28.6	4	31.8	69.8	44.4	82.5	44.4	49.5	50.0	73.0	15.8	48.26
50	215.9	165.1	25.4	8	38.1	104.8	57.1	101.6	57.1	62.0	62.4	92.1	17.4	60.31
65	244.5	190.5	28.6	8	41.3	123.8	63.5	104.8	63.5	74.7	75.4	104.8	19.0	73.02
80	241.3	190.5	25.4	8	38.1	127.0	53.9	101.6	53.8	90.7	91.4	127.0	-	88.90
100	292.1	234.9	31.7	8	44.4	158.7	69.8	114.3	69.8	116.0	116.8	157.1	-	114.30
125	349.2	279.4	35.0	8	50.8	190.5	79.3	127.0	79.2	143.7	144.5	185.7	-	141.30
150	381.0	317.5	31.7	12	55.6	234.9	85.8	139.7	85.8	170.6	171.4	215.9	-	168.27
200	469.9	393.7	38.1	12	63.5	298.4	101.6	162.0	114.3	221.4	222.2	269.8	-	219.07
250	546.1	469.9	38.1	16	69.8	368.3	107.9	184.1	127.0	276.3	277.3	323.8	-	273.05
300	609.6	533.4	38.1	20	79.3	419.1	117.4	200.0	142.7	327.1	328.1	381.0	-	323.85

Metric values are direct conversion from Inches table of B16.5

RF Thickness 6.3 mm Extra to be provided (Except Lap Joint Flange & FF Flanges).

BUTT WELDING FITTINGS

DIMENSION IN M.M. OF BUTT WELDING FITTINGS TO ANSI B 16.9



NOM BORE	PIPE OD	WALL THICKNESS				RADIUS			R	B	C	E	G	L		H	D	H
		SS	10S	40S	80S	1D	1.5D	2D	3D					SHORT	LONG			
½	21.34	1.66	2.11	2.77	3.73	12.7	19.05	25.4	38.1	15.9	25.4	25.4	34.9	50.8	76.2	38.1	45	8
¾	26.67	1.65	2.11	2.87	3.91	19.05	28.57	38.10	57.15	11.1	28.6	25.4	42.8	50.8	76.2	38.1	54	8
1	33.40	1.65	2.77	3.38	4.55	25.4	38.1	50.8	76.2	22.2	38.1	38.1	50.8	50.8	101.6	50.8	64	10
1 ¼	42.16	1.65	2.77	3.56	4.85	31.75	47.6	63.5	95.25	25.0	47.6	38.1	63.5	50.8	101.6	50.8	74	12
1 ½	48.26	1.65	2.77	3.68	5.08	38.1	57.15	76.2	114.3	28.6	57.2	38.1	73.0	50.8	101.6	63.5	84	12
2	60.32	1.65	2.77	3.91	5.54	50.8	76.2	101.6	152.4	34.0	63.5	38.1	92.0	63.5	152.4	76.2	102	14
2 ½	73.02	2.11	3.05	5.16	7.01	63.5	95.25	127.0	190.5	44.0	76.2	38.1	104.8	63.5	152.4	88.9	122	16
3	88.90	2.11	3.05	5.49	7.62	76.2	114.30	152.4	228.6	50.8	85.7	50.8	127.0	63.5	152.4	88.9	138	18
3 ½	101.60	2.11	3.05	5.74	8.08	88.9	113.35	177.8	266.7	57.2	95.3	63.5	139.7	76.2	152.4	101.6	148	18
4	114.30	2.11	3.05	6.02	8.56	101.6	152.4	203.2	304.8	63.5	104.8	63.5	157.2	76.2	152.4	101.6	158	20
5	141.30	2.77	3.40	6.55	9.52	127.0	190.5	254.0	381.0	79.4	123.8	76.2	185.7	76.2	203.2	127.0	188	25
6	168.28	2.77	3.40	7.11	10.97	152.4	228.6	304.8	457.2	95.3	142.8	88.9	215.9	88.9	203.2	139.7	212	25
8	219.08	2.77	3.76	8.18	12.7	203.2	304.8	406.4	609.6	127.0	177.8	101.6	270.0	101.6	203.2	152.4	270	30
10	273.05	3.40	4.19	9.27	12.7	254.0	381.0	508.0	762.0	158.7	215.9	127.0	324.0	127.0	254.0	177.8	325	30
12	323.85	3.96	4.57	9.52	17.45	304.8	457.2	609.6	914.4	190.5	254.0	152.4	381.0	152.4	254.0	203.2	380	35
14	355.60	3.96	4.78	11.13	15.0	355.6	533.4	711.2	1066.8	222.2	280.0	165.1	412.8	152.4	305.0	330.2	415	40
16	406.40	4.19	4.78	12.7	21.45	406.4	609.6	812.8	1219.2	254.0	304.8	177.8	470.0	152.4	305.0	355.6	470	40
18	457.20	4.19	4.78	14.27	23.80	457.2	685.8	914.4	1371.6	385.7	343.0	203.2	533.4	152.4	305.0	381.0	535	40
20	508.00	4.78	5.54	15.09	26.19	508.00	762.0	101.6	1524.0	317.6	381.0	288.6	584.2	152.4	305.0	508.0	585	40
22	588.8	4.78	6.35	15.88	28.57	558.8	838.2	1117.6	1676.4	343	419	254	641.4	152.4	305	508	642	40
24	609.6	5.54	6.35	17.48	30.94	609.6	914.4	1219.2	1828.8	381	432	266.7	692.2	152.4	305	508	693	40

1) **STANDARD** : All dimensions are in mm and confirm to ANSI B 16.9 and M.S.S. P-43 where applicable Dimensional tolerances are in accordance with ANSI B 16.9 and M.S.S. SP-43 where Applicable.


2) **RADIUS** : Radius of short Elbows is 1 times nominal pipe diameter, Radius of Long Radius Elbows is 1 1/2 times nominal pipe diameter.

3) **Material of Construction** : S.S. 304/304L/316/316L/317/321 Nickel Alloys.

4) **Alloy** : We dealing in Alloy Steel fitting like, P-5, P-11, P-22, P-9 etc.


SOCKET WELD FITTINGS

SOCKET WELD FITTING TO ANSI B-16.11



NOM BORE	PIPE O.D.	3000 LBS.									COMMON FACTORS				6000 LBS.				
		A max.	B max.	K	J	L	M	N	P	Q	C min.	D min.	O min.	O max.	A	B	M	K	N
1/8"	10.3	22	18.5	26	16	40	17.3	32	15	10	10.7	10	5	8	22	22	20	25	46
1/4"	13.7	22	22	26	18	43	21.2	32	15	10	14.1	10	5	8	27	25	24	25	51
3/8"	17.2	25	25	26	19	48	25.4	36	16.5	10	17.6	10	3	9	27	28	28	26	60
1/2"	21.3	27	32	30	21	51	31	41	16.5	10	21.7	10	6	13	31	34	34	31	72
3/4"	26.7	34	38	36	24	57	37	50	19.5	13	27	13	6	13	37	42	41	35	80
1"	33.4	37	46	40	25	64	45.2	60	22.5	13	33.8	13	9	17	42	50	50	40	94
1 1/4"	42.2	42	56	40	29	70	55	70	22.5	13	42.6	13	9	17	47	59	58	41	100
1 1/2"	48.3	47	62	40	30	79	61.4	78	24	13	48.7	13	9	17	53	67	66	43	122
2"	60.3	56	75	52	37	89	75	95	29	13	61.2	16	15	23	59	84	83	55	
2 1/2"	73.02	60	92	52	48	114	91.3	125	32	16	73.8	16	14	24		102		56	
3"	89.00	76	110	52	51	127	108.8	140	35	16	89.8	16	14	24		121		58	
4"	114.50	88	137	58		150	136.9		42	19	115.5	19	14	24		152		64	

FORGED SCREWED FITTING TO ANSI B-16.11 3000/6000 LBS. THREADED TO ASA B 2.1



NOM BORE	PIPE O.D.	3000 LBS.								COMMON FACTORS				6000 LBS.					
		A	B	C	G	H	K	D	E	F	I	J	L	A	B	C	G	H	K
1/8"	10.3	21	22	17	32	16	19	11	10	40	-	6	-	25	25	19	32	22	-
1/4"	13.7	25	25	19	35	19	25	16	11	43	3	6	32	29	33	22	35	25	27
3/8"	17.2	29	33	22	38	22	25	17.5	13	48	4	8	38	33	38	25	38	32	27
1/2"	21.3	33	38	25	48	29	32	22	15	51	5	8	46	38	46	29	48	38	33
3/4"	26.7	38	46	29	51	35	37	27	16	57	6	10	51	44	56	33	51	44	38
1"	33.4	44	56	33	60	44	41	35	19	64	6	10	60	51	62	35	60	57	43
1 1/4"	42.2	51	62	35	67	57	44	44.5	21	70	7	14	72	60	75	43	67	64	64
1 1/2"	48.3	60	75	43	79	64	44	51	21	79	8	16	80	64	84	44	79	76	48
2"	60.3	64	84	45	86	76	48	63.5	22	88	9	17	94	83	102	52	86	92	51
2 1/2"	73.02	83	102	52	92	92	60	76	27	118	10	21	122	95	121	64	92	108	64
3"	89.00	95	121	64	108	108	65	89	29	121	10	25	140	106	146	79	108	127	68
4"	114.5	114	152	79	121	140	68	117.5	32	150	13	25	180	114	152	79	121	159	75

DIMENSIONS AND OTHERS SPECIFICATIONS AS PER CUSTOMERS REQUIREMENTS ARE AVAILABLE ON REQUEST

APPLICATION INDUSTRIES



Power House



Steel Plant



Offshore Platform



Chemical Industries



Petrochemical Industries

FORMULA OF CALCULATING WEIGHT

- 1) **WEIGHT OF S. S. PIPE**

$$\text{O.D. (mm) - W. Thick (mm) X W. Thick (mm) x 0.0248 = Wt. Per Mtr.}$$

$$\text{O.D. (mm) - W. Thick (mm) X W. Thick (mm) x 0.00756 = Wt. Per Feet}$$
- 2) **WEIGHT OF S. S. ROUND BAR**

$$\text{DIA (mm) x DIA (mm) x 0.00623 = Wt. Per Mtr.}$$

$$\text{DIA (mm) x DIA (mm) x 0.0019 = Wt. Per Feet}$$
- 3) **WEIGHT OF S. S. SQUARE BAR**

$$\text{DIA (mm) x DIA (mm) x 0.00788 = Wt. Per Mtr.}$$

$$\text{DIA (mm) x DIA (mm) x 0.0024 = Wt. Per Feet}$$
- 4) **WEIGHT OF S. S. HEXAGONAL BAR**

$$\text{DIA (mm) x DIA (mm) x 0.00680 = Wt. Per Mtr.}$$

$$\text{DIA (mm) x DIA (mm) x 0.002072 = Wt. Per Feet}$$
- 5) **WEIGHT OF S. S. FLAT BAR**

$$\text{Width (mm) x Thick (mm) x 0.00798 = Wt. Per Mtr.}$$

$$\text{Width (mm) x Thick (mm) x 0.00243 = Wt. Per Feet}$$
- 6) **WEIGHT OF S. S. SHEETS & PLATES**

$$\text{Length (Mtrs) x Width (Mtrs) x Thick (mm) x 8 = Wt. Per PC}$$

$$\text{Length (Fit) x Width (Fit) x Thick (mm) x 3/4 = Wt. Per PC}$$
- 7) **WEIGHT OF S. S. CIRCLE**

$$\text{DIA (mm) x DIA (mm) x Thick (mm) \div 160 = \text{Gms. PC}$$

$$\text{DIA (mm) x DIA (mm) x Thick (mm) x 0.0000063 = \text{Kg. Per PC}$$
- 8) **WEIGHT OF BRASS PIPE / COPPER PIPE**

$$\text{O.D. (mm) - Thick (mm) x 0.0260 = Wt. Per Mtr.}$$
- 9) **WEIGHT OF LEAD PIPE**

$$\text{O. D. (mm) - Wt. (mm) x Wt. (mm) x 0.0345 = Wt. Per Mtr.}$$
- 10) **WEIGHT OF ALUMINIUM PIPE**

$$\text{O. D. (mm) - Thick (mm) x Thick (mm) x 0.0083 = Wt. Per Mtr.}$$
- 11) **WEIGHT OF ALUMINIUM SHEET**

$$\text{Length (Mtr.) x Width (Mtr.) x Thick (mm) x 2.69 = Wt. Per PC}$$
- 12) **WEIGHT OF CONVERSION OF MTR. TO FEET**

$$\text{Wt. of Mtr. \div 3.2808 = Wt. Per Feet.}$$



Flange CNC Machine



Fertilizer Plants



Refinery Petrochemical Plant



Port Trusts



Navy Submarine

BRANDS We Deal in






APPLICATION INDUSTRIES

- | | | |
|--------------------------------------|------------------------------------|--|
| ■ Oil & Gas Industries | ■ Multi Parking Systems | ■ Machine Tool Application |
| ■ Steel Plant & Rolling Mills Mfg. | ■ Military | ■ Industrial Mining Equipments |
| ■ Automobile & Heavy Mobile Vehicle | ■ Power Generations Systems | ■ Food & Beverage Equipments |
| ■ Material Handling Stores | ■ Cement Industry Machinery | ■ Marine Project |
| ■ Agriculture Machinery Equipments | ■ Motion & Control Tech. Equipment | ■ Oil Mill Plants |
| ■ Refineries | ■ Hydrostatic Drive Systems | ■ Aerospace & Aircraft System |
| ■ Analyzer-lab & Testing Equipments | ■ Hydrostatic Press & Power Packs | ■ Pollution Control Equipments |
| ■ Paint Industries | ■ Cooling & Heating Systems | ■ Offshore Engineering |
| ■ Car Care Systems | ■ Packaging Equipments | ■ Plastic / Rubber Processing Machines |
| ■ Life Sciences | ■ Engines & Railways | ■ Chemical Machinery |
| ■ Super Market Storage & Rack System | ■ Pulp Paper Machinery | |
| ■ Automation Machinery | ■ Fuel Cells Components | |

THIRD PARTY INSPECTION



M. H. JAYALWAL
9869532663
9970653101

SURESH M. JAYALWAL
8879587311
9351376638

Mr. AFTAB M.
7021640371



59/65, Gurukrupa Building, 2nd Floor, Office No. 13,
Durgadevi Street, Kumbharwada, Mumbai - 400004.
Tel.: 022-6752 1256, 6636 2928
E-mail : adityametal1234@gmail.com
Website : www.adityametal.in

Mfrg. Stockist & Supplier of :
Stainless steel, Carbon Steel, Alloy Steel, Pipe, Tubes,
Sheet, Plate, Round Bars, Flate, Angle, Buttweld fitting,
Dairy Fitting & All types of Industrial Raw Materials